Status 03|03|2025

PRO CHAIR/PRO ARMCHAIR four-legged frame






Recommended application

School, university, educational institutions, seminars

Frame

Four-legged frame made of bent round steel tube (two mm) with α fixed welded cross-bracing made of round steel tube (Ø 14 mm) under the seat shell.

Seat shells



100% polypropylene. With a non-slip, matt texture on the seat and a hard-wearing structure on the back of the seat shell. 100% recyclable.

Frame color



color powder-coated

Sliders/rollers



A universal glider as a half-round cap B ball-and-socket foot with felt glider C ball-and-socket foot with hyperglider

Size

Only PRO CHAIR four-legged frame:

Size Seat height Body height Age group 46 cm 159 - 188 cm 12 - 99 years 6

according to DIN EN 1729

Weight

1/5

4,9 kg PRO CHAIR without Armlehne PRO CHAIR with Armlehne 5,5 kg PRO ARMCHAIR 5,5 kg

NCS S 1002-G50Y NCS S 5000-N **RAL 9002** 05 Snow white Granite gray Graphite black RAL 7037 09 06 RAL 9005 NCS S 9000-N 73 Warmgrey NCS S 5005-Y20R RAL 210 70 10 NCS S 2020-B10G 11 Aqua blue 31 NCS S 2070-Y80R Coral red RAL 040 40 60 16 Sun yellow NCS S 0580-Y10R NCS S 3020-G Fern green RAL 6005 NCS S 7020-G Forest green

Row connectors Fixed or extendable connector, chrome-plated. Also for retrofitting.

Stackability PRO CHAIR four-legged frame only:

8 chairs without seat cushions, volume: H 1.12 m \times W 0.53 m \times D 0.77 m 6 chairs with seat cushions, volume: H 1.10 m \times W 0.53 m \times D 0.83 m

Stacking protection



Standard stacking protection



Comprehensive stacking protection

The stacking protection is included in the scope of delivery. Standard stacking protection for chairs without upholstery, flat stacking protection for chairs with upholstered seats to prevent marks in the seat upholstery. Applies to PRO CHAIR only.

Accessories







Desk birch multiplex with HPL coating 15 mm, metal bracket 25 mm round steel tube $\,$

Wire mesh storage basket

Transportation

Suitable for PRO CHAIR four-legged frames and sled-type underframes.



Chair trolley short 16 chairs without seat cushion, 8 chairs with seat cushion




Chair trolley long 32 chairs without seat cushion, 16 chairs with seat cushion




Chair truck
8 chairs without seat cushion,
6 chairs with seat cushion

Dimensions of chair trolley 8 chairs with seat cushions: H/W/D 126 x 58 x 102 cm Dimensions of chair trolley 16 chairs without seat cushions: H/W/D 156 x 58 x 102 cm Dimensions of chair trolley 32 chairs without seat cushions: H/W/D 156 x 58 x 167 cm

Dimensions in mm










Frame Size 6

Seat cushion



Seat cushion Quest




100% recycled post-consumer polyester, contains 75% SEAQUAL® GARN, 330g/m2, abrasion resistance 100,000 Martindale, 10-year guarantee against abrasion, light fastness 4-6, flame retardant, EU Ecolabel certificate.

Seat cushion Oceanic



100% recycled post-consumer polyester, contains 50% SEAQUAL yarn, 497g/m2, 100,000 abrasion cycles, 10-year guarantee, light fastness 5, rub fastness 4, flame retardant, EU Ecolabel certificate.

Seat cushion RePlay



100% post-consumer recycled, flame-retardant polyester, approx. 380 g/m2, 100,000 abrasion cycles, light fastness 4-6, rub fastness 4, 10-year guarantee, EU Ecolabel certificate.

Seat cushion Main Line Flax



75% virgin wool, 25% flax, 437 g/m2 $\pm 5\%$,,000 abrasion cycles, light fastness 4–5, rub fastness 3–4, 10-year guarantee, EU Ecolabel certificate


Seat cushion Blazer



100% virgin wool, 460 g/m2 \pm 5%,,000 abrasion cycles, light fastness 4-6, rub fastness 4, 10-year guarantee, EU Ecolabel certificate.



GENERAL NOTES



Planning data Files for architects and planners available on request.

Fire protection Seat shell available in flame-retardant (optional), tested according to DIN 4102-1 building material class B1. Test certificate no. 230008573 can be sent on request.

Tender texts We will you the desired texts for our products immediately on request.

Certificates Seat crushion fabrics Quest, Oceanic, RePlay, Main Line Flax, Blazer:

- OEKO-TEX® Standard 100

- Indoor Advantage™ Gold

- EU ECOlabel

- DIN 4102-1 (B1) - RePlay and Oceanic only

We will be happy to you certificates or product information on the cover fabrics.

Cleaning & care Plastic surfaces



Powder-coated surfaces



Note Colors

Seat shell/frame color kiwi green or frame chrome with minimum order quantities on request.

Deviations in dimensions are possible due to material and production tolerances. Subject to technical changes, errors and color deviations.



WE LOOK FORWARD TO SEEING YOU



Flötotto Einrichtungssysteme GmbH An der Manufaktur 4 33334 Gütersloh Germany

Consulting

FLÖTOTTO is a relevant development partner for school authorities, architects, ministries and is in daily contact with the responsible teachers in the respective schools. Together, we flexible, age-appropriate educational spaces for intensive interaction between students and teachers. The living and learning spaces we design improve learning success and, together with the architecture, also have a positive on the surrounding area of the school site.

We remain your first point of contact until the project is completed and for years afterwards.

Talk to us, we will be happy to advise you!

Contact for teachers $_{\Omega}$.

school management

+ 49 5241 50474 0 teachers@floetotto.com

Contact for architectural offices

+ 49 5241 50474 51 architects@floetotto.com

Contact for school authorities

+ 49 5241 50474 50 authorities@floetotto.com

Website

www.floetotto.com

