


MOVING BOARDS



Recommended application

School, university, educational institutions, office

Material

Wall rails: matt silver anodized aluminium/white decorative strip Boards: all-round, filigree aluminium profile with steel angle reinforcement in the corners. Rounded plastic corners, chalkboard and whiteboard surface made of enameled sheet steel, magnetic 25-year guarantee on the whiteboard or chalkboard surface.

Properties

Unique fitting can be hung in portrait and landscape format. The boards can be used on both sides, in any combination.

Finish/color

Chalkboard


Whiteboard

Pinboard

Fabric cover


-  Anthracite
-  Blue
-  Green

 White



Quest / Oceanic Selection p.3

Lineaturen




Note: Chalkboard and whiteboard made of magnetic enamel sheet steel

1st school year
40:50:40 mm

2nd school year
30:40:30 mm

3rd school year
35 mm

4th school year
100 mm



Bei den Lineaturen 1-6 wahlweise stark oder schwach sichtbar.

Kreuzkaro ist immer schwach sichtbar: schwarz auf Kreide, hellgrau auf Whiteboard

staves
25 mm

Calculator box
50, 70 or 100 mm

Cross check
50 or 100 mm



strong
weak
Cross check

Chalk surface


Whiteboard

Test mark

GS - tested safety: with safety fitting for schools. Unhinging is only possible at a 15° angle.

Weight		Whiteboard/ Whiteboard	Whiteboard/ Pin	Whiteboard/ chalk	Pin / Pin	Chalk/chalk
	1000 x 1000 mm	9,0 kg	6,0 KG	9,0 kg	3,5 kg	9,0 kg
	1000 x 1200 mm	10,0 kg	7,5 kg	11,0 kg	3,8 kg	10,5 kg
	1200 x 1200 mm	11,0 kg	8,0 kg	13,0 kg	4,5 kg	11,5 kg

Size in cm




Extremely flat wall rail only 15 mm thick Standard lengths 2000 and 3000 mm

Cleaning instructions

Light soiling can be wiped off with a damp cloth. Fabric-covered pinboards with light soiling can also be wiped with a damp cloth or treated with a suitable upholstery shampoo. For thorough cleaning, we recommend the use of steam or professional dry cleaning.

Cover fabrics for pin surfaces

Cover fabrics Quest Price group 1



SALT 1105 FOSSIL 1109 DRIFTWOOD 1173 SHELL 1100

100% recycled post-consumer polyester, contains 75% SEAQUAL® GARN, 330g/m2, abrasion resistance 100,000 Martindale, 10-year guarantee against abrasion, light fastness 4-6, flame retardant, EU Ecolabel certificate.

Cover fabrics Oceanic Price group 2



PADDLE 1205 RIPDIDE 1209 GULF 1200

100% recycled post-consumer polyester, contains 50% SEAQUAL yarn, 497g/m2, 100,000 abrasion cycles, 10-year guarantee, light fastness 5, rub fastness 4, flame retardant, EU Ecolabel certificate.

Cleaning instructions Cover fabrics

Light soiling can be wiped off with a damp cloth. Pinboards covered with fabric that are slightly soiled can also be wiped with a damp cloth or treated with a suitable upholstery shampoo. For thorough cleaning, we recommend the use of steam or professional dry cleaning.

GENERAL NOTES



Planning data

Files for architects and planners available on request.

Tender texts

Write us an email or give us a call and we will send you the requested texts on our products immediately.

Certificates

Cover fabrics Quest, Oceanic, RePlay, Main Line Flax, Blazer:

- OEKO-TEX® Standard 100

- Indoor Advantage™ Gold

- EU Ecolabel

- DIN 4102-1 (B1) - RePlay and Oceanic only

We will be happy to send you the product information certificates for the upholstery fabrics.

Cleaning & care

MOVING BOARD surfaces



Deviations in dimensions are possible due to material and production tolerances.
Subject to technical changes, errors and color deviations.

NOTE

WE LOOK FORWARD TO SEEING YOU



FLÖTOTTO

	<p>Flötotto Einrichtungssysteme GmbH An der Manufaktur 4 33334 Gütersloh Germany</p>
<p>Consulting</p>	<p>FLÖTOTTO is a relevant development partner for school authorities, architects, ministries and is in daily contact with the responsible teachers in the respective schools. Together, we flexible, age-appropriate educational spaces for intensive interaction between students and teachers. The living and learning spaces we design improve learning success and, together with the architecture, also have a positive on the surrounding area of the school site. We remain your first point of contact until the project is completed and for years afterwards. Talk to us, we will be happy to advise you!</p>
<p>Contact for teachers & school management</p>	<p>+ 49 5241 50474 0 teachers@floetotto.com</p>
<p>Contact for architectural offices</p>	<p>+ 49 5241 50474 51 architects@floetotto.com</p>
<p>Contact for school authorities</p>	<p>+ 49 5241 50474 50 authorities@floetotto.com</p>
<p>Website</p>	<p>www.floetotto.com</p>
