


PRO STOOL Swivel stool



Recommended use	School, university, educational institutions, seminars, office, STEM, workshop
Frame	Base with five castors or glides and gas pressure height adjustment.
Seat shells	 100% polypropylene. With a non-slip, matt texture on the seat and a durable structure on the back of the seat shell. 100% recyclable.
Frame colors	 Base/gas pressure spring (housing): colour powder-coated.  Base/gas spring (housing): polished aluminium/black polyamide, black powder-coated.
Frame function	Gas pressure height adjustment, rotatable.
Castors/glides	 A Soft double castor (chrome) B Soft double castor C Hard double castor D Plastic glider Rollers braked according to load in accordance with DIN EN 12529
Weight	5,10 kg
Size	The PRO CHAIR swivel chair is available in various gas spring heights up to counter height (approx. 80 cm). The various configuration options (castors or glides, additional PRO-MATIC or full upholstery) result in differences in seat heights.

05 Snow White	RAL 9002	NCS S 1002-G50Y
09 Granite Grey	RAL 7037	NCS S 5000-N
06 Graphite Black	RAL 9005	NCS S 9000-N
73 Warm Grey	-	NCS S 5005-Y20R
11 Aqua Blue	RAL 210 70 10	NCS S 2020-B10G
31 Coral Red	RAL 040 40 60	NCS S 2070-Y80R
16 Sun Yellow	-	NCS S 0580-Y10R
54 Fern Green	-	NCS S 3020-G
04 Forest Green	RAL 6005	NCS S 7020-G
		98 Polished aluminium
		KU608 Polyamide, black

Sizes Footrest	<table> <tr> <td>Diameter Black Polyamide</td><td>60,8 cm</td></tr> <tr> <td>Diameter Polished aluminium</td><td>61,0 cm</td></tr> <tr> <td>Diameter Aluminium powder-coated</td><td>61,0 cm</td></tr> </table>	Diameter Black Polyamide	60,8 cm	Diameter Polished aluminium	61,0 cm	Diameter Aluminium powder-coated	61,0 cm
Diameter Black Polyamide	60,8 cm						
Diameter Polished aluminium	61,0 cm						
Diameter Aluminium powder-coated	61,0 cm						
Stackability	Not stackable. Can be raised onto the tabletop with a tabletop bracket (optional).						
Accessories	 Footrest The footrest is attached and secured with a large knurled screw. The ring is always chrome-plated and the inner cross is black. Gas pressure springs in various heights up to counter height (bar stool seat height) are available.						
PRO-MATIC	 Seat mechanism  Seat inclination Flötotto sets standards in seating furniture: thanks to its flexible spring steel and rubber buffers, the PRO-MATIC follows the user's centre of gravity. This allows the user to sit dynamically and comfortably with controlled support. The back and abdominal muscles are thus stimulated and strengthened in a natural way. The PRO-MATIC can be retrofitted in a few simple steps.						
Measurements in mm							


Fully upholstered



PRO colours




Quest Price group 1




100% recycled post-consumer polyester, contains 75% SEAQUAL® YARN, 330g/m², abrasion resistance 100,000 Martindale, 10-year guarantee against wear and tear, lightfastness 4-6, flame retardant, EU Ecolabel certificate.

RePlay Price group 2




100% post-consumer recycled, flame-retardant polyester, approx. 380 g/m², 100,000 abrasion cycles, lightfastness 4-6, rub fastness 4, 10-year guarantee, EU Ecolabel certificate

PRO colours



Oceanic Price group 2



100% recycled post-consumer polyester, contains 50% SEAQUAL yarn, 497g/m², 100,000 abrasion cycles, 10-year warranty, lightfastness 5, rub fastness 4, flame retardant, EU Ecolabel certificate.

Stock programme - delivery time approx. 6 weeks

RePlay Price group 2



Further upholstery fabrics

On request, you will also receive a quote with corresponding delivery times for products from the PRO, ACTIVE and QUIET PLEASE collections with a selection of upholstery fabrics Blazer and Main Line Flax.

GENERAL INFORMATION



NOTES

Planning data

Files for architects and planners available on request.

Fire protection

Seat shell available in flame-retardant material (optional), tested in accordance with DIN 4102-1 for building material class B1. Test certificate no. 230008573 can be sent on request.

Tender documents

Please send us an email or give us a call, and we will promptly send you the requested texts about our products.

Certificates

Quest, Oceanic and RePlay upholstery fabrics:
- OEKO-TEX® Standard 100
- Indoor Advantage™ Gold
- EU Ecolabel
- DIN 4102-1 (B1) – RePlay and Oceanic only
We would be happy to send you the certificates for the product information on the upholstery fabrics.

Cleaning & Care

plastic surfaces



Powder-coated surfaces



Note on colours

Seat shell/frame colour kiwi green with minimum order quantities on request.

Note on rolles

Our standard castors comply with DIN EN 12529 and are always equipped with load-dependent brakes. These brakes only work when the castor is unloaded and prevent the chair from rolling away unintentionally, which could be dangerous. Once the user is seated, the castors run smoothly and without braking, causing no annoying braking resistance.
→ Load-dependent braked castors Swivel chairs with high gas pressure springs (counter chairs) require castors that brake under load. As soon as the chair is loaded, it can no longer be moved. This prevents the chair from rolling away when getting on or off, thus avoiding falls and injuries. → Load-dependent brake function (automatic brake)
We will be happy to advise you on the right castors for your requirements.

WE LOOK FORWARD TO SEEING YOU



FLÖTOTTO

Consultancy

Flötotto Einrichtungssysteme GmbH
An der Manufaktur 4
33334 Gütersloh
Germany

FLÖTOTTO is a key development partner for school authorities, architects, ministries and is in daily close contact with the teachers responsible in the respective schools. Together, we create flexible, age-appropriate educational spaces for intensive interaction between learners and teachers. The living and learning spaces we develop improve learning outcomes and, together with the architecture, ideally also have a positive impact on the immediate vicinity of the school location.

We remain your first point of contact until the project is completed and even years afterwards.

Get in touch with us, we will be happy to advise you!

Contact for teachers & school administrators

+ 49 5241 50474 0
lehrende@floetotto.com

Contact for architectural firms

+ 49 5241 50474 51
schulbau@floetotto.com

Contact for school authorities

+ 49 5241 50474 50
schultraeger@floetotto.com

Contact for school authorities

www.floetotto.com